	A The Atlanta	Applicant(a)
	Application No.	Applicant(s)
Notice of Allowability	09/987,912	CROSBIE ET AL.
	Examiner	Art Unit
	Harold E. Dodds, Jr.	2168
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>1 May 2006</u> .		
2. The allowed claim(s) is/are <u>1-4,6-16,18-20, and 23-26 (renumbered 1-22)</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority unalled all blooms.</li> <li>a) ☐ All blooms of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
	·	•
Attachment(s)	_	
1. Notice of References Cited (PTO-892)		al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summa Paper No./Mail I	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's State	ement of Reasons for Allowance
· · ·	9.  Other	
		Harold E. Dodds, Jr. Patent Examiner

Application/Control Number: 09/987,912 Page 2

Art Unit: 2168

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Randy A. Noranbrock on 9 May 2006.
  - 3. The application has been amended as follows:

In the Specification on line 13, **delete** Circuits for Instrusion Detection System **before** "(HP Docket No."

In the Specification on line 13, **insert** Method of Detecting Critical File Changes before "(HP Docket No."

In the Specification on line 14, delete on even date herewith after "filed".

In the Specification on line 14, insert November 16, 2001, Serial No. 09/887,911 after "filed".

In claim 1 on line 2, insert that after "or data".

In claim 23 on line 2, insert that after "or data".

4. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

Applicant will provide a formal drawing for Figure 1.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Application/Control Number: 09/987,912 Page 3

Art Unit: 2168

## **REASONS FOR ALLOWANCE**

5. The following is an examiner's statement of reasons for allowance:

Examiner finds Applicants' arguments on page 7 of the "Amendment Under Rule 116" filed on 1 May 2006 concerning a method of generating kernel audit data persuasive as applied to amended independent claim 1. The combinations of prior art from Crosbie et al. (U.S. Patent Application Publications No. US 2002/0083343) neither renders obvious nor anticipates the combination of recited elements in light of claim 1. In particular, the above cited references neither renders obvious nor anticipates the combination of recited elements in the limitation "wherein the audit record is a tokenized audit record and tokens of the tokenized audit record are either primitive or composed".

- 6. No combination of prior art renders obvious of anticipates the combination of recited elements in amended independent claim 23 in the limitation "auditing of the system should continue as specified in a post-call selection flag".
- 7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## CONCLUSION

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harold E. Dodds, Jr. whose telephone number is (571)-272-4110. The examiner can normally be reached on Monday - Friday 8:00 - 4:30.

Application/Control Number: 09/987,912

Art Unit: 2168

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim T. Vo can be reached on (571)-272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Harold E. Dodds, Jr.

Patent Examiner

May 9, 2006

Moenibor ateri Reminere marminer

**Data Source Process** 150 ... AIPC library 410 . AIPC read API (control) write API (data) write API (status) , specific format module Status format/ Control command parse delivery tokenized data stream status info 450 IDDS library V Post Control/Status API Data I/O Lec 45°0 942 Start/stop Config | Crit files Status select module | module | control Crit file Data I/O Config I/F 430 anno-Control/Status I/F User application libc device device User Space iocti write Kernel Space 110 System Call 460 **Branch Table** 462 Data I/F 310 Control Config 160 155 Pseudo-driver **IDDS** Data Status 464-User Syscall code Collection 370 record retrieval 130 pre-syscall writes scall ZDO state 210,224 syscall params full pathname IDDS stub 340 IDDS calls | b selection, flow settings records control requests **IDDS Data** post-syscall en/ Delivery selection mask 140 170 data 230 328 360 Flow Record Config Control Config Record control delivery VF Status VF ηgmt gen IDDS Management Module 300

Figure 1: IDDS Architecture Block Diagram